2 0 JUL 1971

MEMORANDUM FOR:

25X1A

SUBJECT

: Remote Control of Vehicle-Mounted, Defogger

Insecticide Unit

- 1. Attached is an employee suggestion for operating a vehicle-mounted, defogging insecticide unit from the cab without the need for a second man and/or stopping the vehicle to start and stop the unit.
- 2. It should be noted from the information furnished that the remote control system advocated can be made up from materials that are readily available.
- 3. Your comments on this suggestion as to its applicability and use at your location would be appreciated.



Real Estate and Construction Division

Att

\	ISPATCH	2 <mark>000/08/04 : CIA-RDP78-0650</mark>	
U	//3PAICI	SECRET	MARKED FOR INDEXING
	Chief Bool Estate &	& Construction Division,	NO INDEXING REQUIRED
0.	Uniei, Real Estate	oons of do open	ONLY QUALIFIED DESK CAN JUDGE INDEXING
		25X1A	CAN JODGE INDEXING
M	Acting Chief of Sta		MICROFILM
BJECT		rol of Vehicle-Mounted D	efogger Insecticide Uni
TION REQUI	IRED - REFERENCES		
	REFERENCE: 25X1A	of 29 July 1971	
	usefulness at this apply:	requested comments regard installation. The foll	towing commons
	an estimated cost		
	to shut off or sta of persons on stre	rol from truck cab would art unit when desired, the eet or residue on vehicle	es and shrubs.
	appreciable due to and the areas trea areas. Fogging is wind currents to o	ngs in insecticide and land the fact that we now unated are generally compass done from the streets carry the insecticide the	ct housing or office and we rely upon rough the areas.
	2. Because effective and importantends to adopt	the suggestion will resu roved system at a minima it for use.	1t in a more 1 cost, 25X
C	1-1-1	25X1A	
DC EX SA C/REI			A ich dep 1  a Cliuded Trem notematic dewnstrating and replacement of the control
RO C∕FEr	Amiginal and 1	- Chief, Real Estate & C	Construction Div, OL
D/FEI  PE	150		la f
C/HE	B		(cut o
PE FILE	and the second second of the second s		
	EFERENCE TO	DISPATCH SYMBOL AND NUMBER	DATE 8, 51) 2 1971

Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4 SECRET MARKED FOR INDEXING Chief of Station NO INDEXING REQUIRED INFO. ONLY QUALIFIED DESK CAN JUDGE INDEXING Chief, Real Estate and Construction Division, OL Remote Control of Vehicle-Mounted Defogger Insecticide Unit REF: Employee Suggestion 71-221 1. Raciosed is an employee suggestion for operating a vehicle-mounted, defogging Insecticide unit from the cab without the need for a second man and/or stopping the vehicle to start and stop the unit. It should be noted from the information furnished that the remote control system advocated can be made up from materials that are readily available. 3. Your comments on this suggestion as to its applicability and use at your location would be appreciated. Enc Distribution: 2 - COS. w/enc 25X1A 26 JUL 1971 CROSS REFERENCE TO DISPATCH SYMBOL AND NUMBER 25X1A HQS FILE NUMBER SECRET ORIGINATING OFFICE 25X作為 1\_OL Registry, w/o enc OL/RECD jah coordinating (20 July 71) 3017 1- OL/RECD Files, w/enc OFFICE SYMBOL DATE OFFICER'S NAME 1 - OL/RECD Chrono, w/o 25X1A 2 3 JUL 1971 1 - FE/LOG, w/o FE/LOG 1 - OL Reader, w/o 25X RAEASING OFFICE SYMBOL 2 C JUL 197 53 USE PREVIOUS EDITION.

Approved For Release 2000/08/04: CIA-RDP78-06505A000700120003-4

MEMORANDUM OF CALL	
To: Florence	
YOU WERE CALLED BY- YOU WERE VISITED BY-	
OF (Organization)	
PLEASE CALL PHONE NO. CODE/EXT.	•
WILL CALL AGAIN IS WAITING TO SEE YOU	
RETURNED YOUR CALL WISHES AN APPOINTMENT	
Here are two capus	
y Employee Sug. to	
place in your fele	
w/ dispatch to COS,	25X1A
on Defogging Unit. The	
RECEIVED BY DATE TIME	
STANDARD FORM 63 GPO: 1968 0—344.52 53-108 REVISED AUGUST 1967 GSA FPMR (41 CFR) 101-11.6	

26 April 1971

MEMORANDUM FOR: Exec

Executive Secretary, Suggestion Awards Committee

SUBJECT

Your Suggestion No. 71-221

Our Suggestion No. 105

REFERENCE

: Your memo dtd 29 Dec 70

- 1. The following additional information is submitted as requested:
- a. Photographs, a sketch, and a parts list are attached. As the system is electrical, no mechanical linkages or devices are required.
- b. The savings in manhours would be one man, 1/2 day, for approximately 80 days when comparing this single-man operation with the two men required. There is practically no way to accurately estimate the chemicals saved as the amount of fogging depends upon the mosquito population density as determined by their count in mosquito traps. Also, the number of people encountered has a bearing on the starting and stopping of the fogger and this is completely unpredictable. A guess at the chemicals saved should range from 5 to 15 percent or \$100-\$300.
- c. As described in paragraph b. above. One man for 80 days at 4 hours per day equals 320 manhours. This individual would be graded a W-6 and paid \$3.32 per hour.
- 25X1C

  2. has evaluated this suggestion and submitted a report, a copy of which is attached. Though not mentioned in the report, this suggestion was presented to the biennial meeting of all of the pest control supervisors and technicians of this and the report reflects that group's favorable opinions and comments.

Chairman
Suggestion Awards Committee
25X1A

Atts - 3 Photos (2 ea.)
Sketch (2 cys)
Parts List (2 cys)

25X1C

ltr dtd 10 Mar 71 (2 cys)

Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4

25X1C

Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4 Approved For Release 2000/08/04 : CIA-RDP78-05505A000700120003-4

Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4 Approved For Release 2000/08/04 · CIA-RDF78-06505A000700120003-4

Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4 Approved For Release 2000/08/04 : CIA-RDP78-06505A000700120003-4

26 April 1971

MEMORANDUM FOR: Executive Secretary, Suggestion Awards Committee

SUBJECT


Your Suggestion No. 71-221
Our Suggestion No. 105

REFERENCE

Your memo dtd 29 Dec 70

- 1. The following additional information is submitted as requested:
- a. Photographs, a sketch, and a parts list are attached. As the system is electrical, no mechanical linkages or devices are required.
- b. The savings in manhours would be one man, 1/2 day, for approximately 80 days when comparing this single-man operation with the two men required. There is practically no way to accurately estimate the chemicals saved as the amount of fogging depends upon the mosquito population density as determined by their count in mosquito traps. Also, the number of people encountered has a bearing on the starting and stopping of the fogger and this is completely unpredictable. A guess at the chemicals saved should range from 5 to 15 percent or \$100-\$300.
- c. As described in paragraph b. above. One man for 80 days at 4 hours per day equals 320 manhours. This individual would be graded a W-6 and paid \$3.32 per hour.
- 2. has evaluated this suggestion and submitted a report, a copy of which is attached. Though not mentioned in the report, this suggestion was presented to the biennial meeting of all of the pest control supervisors and technicians of this and the report reflects that group's favorable opinions and comments. 25X1C

Atts - 3 Photos (2 ea.)
Sketch (2 cys)
Parts List (2 cys)
25X1C ltr dtd 10 Mar 71 (2 cys)



WIRING DIAGRAM

Subj: Employee Suggestion, Remote Control, Insect Fogger

#### OPERATIONAL PROCESURE

The Fogger Remote Control operates as follows:

Both ignition switches have to be in the ON position to operate the engine. After starting the fogger engine, using the sa starter switch on the engine, the operating controls are adjusted to achieve the proper fog. The operator can now stop and restart the fogging engine from the truck driver position by turning the ignition switch to the OFF position to STOP, and to the ON position, followed by activating the starter switch, to START the engine again.

Parts List

1 - Starter Bolenoid (12 volts)

2 - Starter Switches (Push Type)

2 - Push and Pull Switches (for Ignition)

40 ft. #14 Wire

19 Feb 1971

Next 1 Page(s) In Document Exempt

TIRE OR SUBJECT OF SUGGESTION	CLASSIFICATION	
Medification of Fogger	CLASSIFICATION	SUGGESTION NO.
PRESENT METHOD		7/-22/ 10!
Insecticide sprayer is located in truck controlled from rear of vehicle at spray vehicle diver and sprayer operator must ha immediate control system must be in a germicide operation.	er. For safety purposes l	oth a
1 SUGGEST	<u> </u>	
That the mechanical control system design cob of vehicle.  Demonstrate upon request.  This mechanical control system would conschole control, air pressure valve.		
ADVANTAGES SOFOTO AT A STATE OF THE STATE OF	01	
Safety edvantage cannot be stressed enough fogging operation would be cut off - we as the stressed enough of Cale 90% Cut off fogger.  Cut off fogger.	Cock of Trence	iclo.
ORM 244 USE PREVIOUS CLASS	IFICATION (47)	CIRCULATING

Name of Street	Charles and the second and the secon		•	
	EVALUATION OF EMPLOYEE EUGGESTION (Gubmit in duplicate)		25X1A	Suggestion No.
T	): Executive Secretary Suggestion Awards Committee		FRCM:	unthol shop
1.	Instruc	er.	CONS	
If 63 ex	order to guide the Suggestion Avards Cour explicit comments are necessary. "Act tengible benefits are involved, an analyzings should be shown. If intangible be tent of benefit and degree of applications.	eti Lya ena	ion Recommended" a sis of the anticip efits are derived.	hould be completed.  ated first year's  Diese indicate the
	action rix	XX	SENDED	te de la companya de
X	Adopt for use (Date adopted or to be edopted) // June 1970		Further study redate of completion	quired (Expected
	Already in offect but this suggestion takes added contribution.		Refer suggestion	to (Component)
	Eleapproved for edoption	X	Action taken as this suggestion	s direct result of (Specify below)
	Already in offect and no part of this cuerestica makes added contribution.		Other (Specify be	elow)
,	Although not edopted, stimulates an improvement (Specify below)			
	reason for he	CO	væiendation	
	The benefits derived from adopting and (2) Economy. With the procedure adomachine can be operated safely by one may fogger and driver).	pt	ed by this sugges	tion the fogging
1	The manufacturer does not provide a sed. Therefore, has devised controlled from the driver's position. For traffic or for any other reason, the causing possible damage, heavy spray concomfort to those in the immediate area.	He s	method by which retofore, if the prayer would cont:	the fogger can be truck stalled, stopped inue running thus
* t	this remote control on their fogging mac shore installations in this area.	hi.	sked for specificanes so that it can	
DA		-	LIATION OFFICIAL (	Type name and title) 25X1A

25X1A

25X1A

### ACHIO VER POFTE LEGIS 2000 10 SION EL CHAYED PERSON DE PROPERTO DE REVEFTE

Intangibles may also be considered when tangible savings are present. Because of the nature of intangible benefits, no guide can be so conclusive as to make the determination of appropriate awards an automatic and simple process. Your recommendation must still be arrived at by the application of your informed judgement, which should consider all influencing factors.

DECREE OF	EXTENT OF APPLICATION						
BENEFIT	LIMITED	LOCAL	EXTENDED	BROAD	GENERAL		
SITORE	\$ 10-25	\$ 25-50	\$ 50-75	\$ 75-150	\$ 150-250		
MODERATES	50-100	100-150	150-200	200-300	300-400		
нтон Х	150-250	250-350	350-450	450-600	600-750		
EXCEPTIONAL	300-500	500-700	700-1000	1000-1500	1500-25000		
	-	DEC	REE OF BENEFI	ľ			
SLIGHT	THE CONTRACTOR V	grae.			rocedure, limited		
MODERATE		TILITAL VALUE	•		e or procedure,		
RIGH X	Complete re	vision of a	basic princip	le or procedur			
Excufitoual	Initiation which subst	of a new pro antially ad-	vences an ima	or procedure, ortant activity to scientific	such a contribution of the Department		
district and the second		EXTENT	OF APPLICATIO	N			
TIMETED	Affects the (1 to 25 em	immediate v	ork area or i	mmediate assoc	lates.		
I/CAL	Affects more an installar locality.	tion or fact (25 to 1000	Lity, or is i	n the public i	iates but is within nterest only in the		
EXTENDED	public into	co several : rest in seve or a major	installations ral localitie Organization	or facilities, s or in a regi element)	or is in the on. (1000 to 4000		
EFIOAD	Applicable interest in independent employees -	to many inst several reg Department two or more	callations or gions. May be or to an enti	facilities, or applicable to re large Burea zation element	is in the public all of a small u. (4000 or more s)		
GENERAL.	Applicable 1	throughout sor several d	everal large	Bureaus or ind r is in the pu	enendent or leves		

Supervisors are the key to the success of the suggestion program. We need your wholehearted cooperation in giving suggestions a prompt, complete and fair-minded evaluation. Good evaluations mean more and better suggestions, which in turn more savings -- in money, in time, in increased efficiency of operation.

EVALUATION OF EMPLOYEE SUGGESTION 25X1A

SUGGESTION NO. 105

71-221

Suggester

REASON FOR RECOMMENDATION: (Continued)

We have already found the device to be a great improvement over the old method in the short time it has been used. The monetary savings are limited to the amount of chemicals used and the conversion to one man instead of a two-man operation. However, the intangibles in the form of efficiency of operation, the savings in time and trouble for the driver and the fact that one man can operate the truck and fogger with complete safety, plus the good will created by being able to stop fogging at opportune times, all contribute to a vast improvement over the old method. Also, the fact that four or five other installations plan to install the mechanism would seem to indicate the value of this suggestion.

25X1A

25X1A

is a heavy equipment mechanic, Transportation
Section, Public Works Branch. This idea is outside the realm of
duties and responsibilities and therefore would
appear to be completely within the scope and spirit of the
Suggestions Awards Program.

25X1A



DISPATO	M SECRET	PROCESSING ACTION
25X′	, <b></b>	MARKED FOR INDEXING
Chief of Station,		NO INDEXING REQUIRED
D.		ONLY QUALIFIED DESK CAN JUDGE INDEXING
	nd Construction Division, OL	MICROFILM
Remote Con	trel of Vehicle-Mounted Defenger Insection	cide Unit
ON REGUIRED - KEPERENCES		
REF: Employee Suga	gestion 71-221	
* ** · · · · · · · · · · · · · · · · ·		
1. Enclosed is a	an employee suggestion for operating a ve	bicle-mounted, defogging
intecticide unit from	the cab without the need for a second ma	n and/or stopping the
vehicle to start and s	top the unit.	
9 <b>h shant</b> it	and the same of th	
4. K BROME NO X	seled from the information furnished that	the remote control syste
watered and the same	ie up from materials that are readily ava	Lable.
A Vary same	uta na tida mumaatan aa ta taa aasta aas	<b>.</b>
would be appreciated.	sts on this suggestion as to its applicabili	ty and use at your location
mount in apprentiation.	•	
	25X1A	
Bac		
TO-LONG TO-		
) at ribution		
Distribution:	w/ene	
2 - COS	w/eac	
4	• " •	
2 - COS	• " •	
2 - COS	• " •	
2 - COS	• " •	
2 - COS	• " •	
2 - COS	• " •	
2 - COS	• " •	
2 - COS	A	4075
2 - COS	A	6 J <b>UL 19</b> 71
2 - COS	A	6 J <b>UL 1971</b>
2 - COS	A	6 JUL 1971
2 COS 25X1	A	6 JUL 1971
2 COS 25X1	DISPATCH SYMBOL AND NUMBER	6 JUL 1971
2 COS 25X1	A	6 JUL 1971  AUG 1971
2 COS 25X1	DISPATCH SYMBOL AND NUMBER	AUG BON
2 - COS	DISPATCH SYMBOL AND NUMBER 25X1A	DUL 1971  AUG  HOS FILE NUMBER
2 COS 25X1	DISPATCH SYMBOL AND NUMBER  25X1A	AUG BON
2 COS  25X1	DISPATCH SYMBOL AND NUMBER 25X1A	HQS FILE NUMBER

25X1A